


FIG. 1

10002557 110101



PROG - INST "R1"

- START - TIME
- DOC - OPEN
- DOC - CLOSED : 30 PAGES
- DWGS MADE = 3
- STOP - TIME


108

•

-100

DISTILLATION

← 104




CPU
TIME

Dogs

PAGES

PROG - INST "R2"


110 ~ 

$$112 \sim \begin{bmatrix} \cdot & \cdot & \cdot \\ \cdot & \cdot & \cdot \\ \cdot & \cdot & \cdot \end{bmatrix}$$

114 ~ [: : :]

DISTILLATION

116





QUERIES
SERVICED

STOCK
QUOTES
TRANSMITTED

F, G. 3

THE UNIVERSITY OF CHICAGO





OVERALL PROCESS TO DISTILL RAW USAGE DATA TO METRIC DATA BY A PROGRAMMABLE MAPPING




FIG. 6A

OVERALL PROCESS TO DISTILL RAW USAGE DATA TO METRIC DATA
BY A PROGRAMMABLE MAPPING USING A PROGRAMMABLE DISTILLATION PGM




FIG. 6B

**OVERALL PROCESS TO COLLECT RAW USAGE DATA IN A CENTRAL SERVER AND
USE IT TO PREPARE METRICS AND PREPARE INVOICES OR REPORTS THEREFROM**




FIG. 8

PROCESS TO BUILD USAGE MEASURING SERVER DATA STRUCTURE AND ALLOW RESTRICTED ACCESS THERETO




FIG. 9A




FIG. 9B




FIG. 10

ALTERNATIVE PROCESS TO PROGRAMMABLY DISTILL RAW USAGE DATA TO METRICS AND PROGRAMMABLY DISTILL THE METRICS INTO CENTRAL SERVICE UNITS USING A CSU DISTILLATION PROGRAM LINKED TO PROVISIONING ITEM DETAILING LICENSE TERMS




FIG. 11

ALTERNATIVE PROCESS TO PROGRAMMABLY DISTILL RAW USAGE DATA TO METRICS AND PROGRAMMABLY DISTILL THE METRICS INTO CENTRAL SERVICE UNITS USING A CSU DISTILLATION PROGRAM LINKED TO THE USAGE DATA BUFFER OF EACH CLIENT THAT WANTS CSU BASED REPORTS




FIG. 12

PROCESS TO CREATE DATA STRUCTURE TO SUPPORT SUITE LICENSING AND
TO USE THE DATA STRUCTURE TO IMPLEMENT SUITE LICENSING




FIG. 13

1002557 10101

ONE STOP SHOPPING PROCESS TO DETERMINE ALL AVAILABLE LICENSE DEALS ON A PARTICULAR RESOURCE




FIG. 14




FIG. 15

PROCESS TO COLLECT USAGE DATA, PARTITION IT INTO TIME SEGMENTS
AND GENERATE METRICS THEREFROM




FIG. 16

	ROLLUP A ID 39			
	MON	TUES	WED	...
M1 = CPU	10	1	0	...
M2 = DOCS	500	50	0	...
M3 = # PGS	759	71	0	...

FIG. 17

	PREFERRED ROLLUP B ID 50			
	MON	TUES	WED	
	10	4	2	
	500	120	40	
	759	210	96	

FIG. 19

	ALTERNATIVE ROLLUP B ID 40		
	MON	TUES	WED
	0	3	2
	0	70	40
	0	139	96

FIG. 18

	ALTERNATIVE ROLLUP B ID 40		
	MON	TUES	WED
	0	4	2
	0	120	40
	0	210	96

FIG. 20

1000557-110101

FIG. 21 is a complex flowchart illustrating a data processing system for receipt generation and metrics calculation. The system involves multiple entities (ORG: VENDOR 1, ORG: DISTR., ORG: CUST 1, ORG: CUST 2) and various data flows (e.g., 574, 572, 578, 570, 571, 576, 582, 584, 586, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 602, 604, 606, 608, 610, 612, 614, 616, 618, 620, 622, 624, 626, 628, 629). Key components include receipt tables (RECEIPT), time of use tables (TIME OF USE), and metrics tables (METRICS). The flowchart shows how data from these tables is processed through various steps (e.g., ROLLUP A, ROLLUP B) to generate final metrics and receipts.

FIG. 21

PROCESS FOR ONE PROTOCOL ACCESS TO USAGE/METRIC/CSU DATA
FOR ALL LICENSEES OF A LICENSOR FROM A USAGE MEASURING SERVER




FIG. 22A

10002557 110101

1002557.110101





FIG. 22B



SECURITY BARRIERS
FIG. 23

A PROCESS TO IMPLEMENT SECURITY BARRIERS TO PREVENT USERS FROM VIEWING DATA IN A USAGE MEASURING SERVER DATA STRUCTURE THAT THE USER IS NOT AUTHORIZED TO VIEW




FIG. 24A

1002557 410101






FIG. 24B



TAXONOMY CATEGORIES




FIG. 27

SERVER PROCESSING TO IMPLEMENT ONE-STOP SHOPPING SEARCHING OF
THE DATA STRUCTURE BASED UPON USER-DEFINED CRITERIA




FIG. 28